

Examination Briefing

The answer sheet must be filled in correctly, it is an authorized paper.

Please read the questions and answer thoroughly.

No electronic data storage or processing devices, watches, photographic or communication devices are permitted in the examination room, except for approved electronic calculators.

You may use the following equipment during the examination:

Scientific, non-programmable, non-alphanumeric calculator without specific aviation functions, mechanical navigation slide-rule (DR calculator), protractor, compasses and dividers, ruler.

Applicants may use a translation dictionary at the discretion of the competent authority.

Checks may be made on equipment during the exams.

Your bag must be placed as directed by the inspector.

Toilet visits are not allowed during the exam.

Note 1:

Mark your answer with a X

A	B	C	D
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Select the most adequate answer. Check that you have answered all questions.

Check that your transfer to the answer sheet is correct.

To pass the exam, at least 75% of the questions must be answered correct.

If not correct, please rub out the wrong answer and make a new pencil stroke.

The student is only allowed to use draft paper handed out by the authority.

Answers must be transferred to the answering sheets before the end of the examination time.

All requests for assistance, during the examination must be done by raising your hand.

The students must not leave their seats during the examination without permission.

The student is not allowed to have any contact with other students during the examination.

All the examination documents, including individual rough drafts must be returned after the examination is completed.

The student shall leave the classroom immediately after completing the examination.

Note 2:

If a student is found cheating or in possession of illegal reference material, the student will be disqualified from passing the examination. Jf. ARA.FCL.300